

Standard Product List

SERIES / MODEL	SPECIFICATION				
DT0240QV2x	2.4" TFT LCD /240x320/TTL Interface,Serial Interface /18pins /Active Area 36.72x48.96mm/3:4 Aspect Ratio /				
	Standard	DT0240QV24-SFM	V0	320nits	4Wires RTP
	High Brightness	DT0240QV25-SFH	V0	800nits	4Wires RTP
DT0240QV5x	2.4" TFT LCD /240x320/TTL Interface,MPU BUS /40pins /Active Area 36.72x48.96mm/3:4 Aspect Ratio /				
	Standard	DT0240QV52-CNM	V01	450nits	-
	With 4Wires RTP	DT0240QV54-CFM	V0	350nits	4Wires RTP
DT0250QV03	2.5" TFT LCD /320x240/TTL Interface,RGB Interface /39pins /Active Area 49.92x37.44mm/4:3 Aspect Ratio /				
	Standard	DT0250QV03-RNM	V0	300nits	-
DT0270QV11	2.7" TFT LCD /240x320/TTL Interface,RGB Interface /40pins /Active Area 40.50x54.00mm/3:4 Aspect Ratio /				
	Standard	DT2700QV11-RNM	V0	300nits	-
DT0280QV3x	2.8" TFT LCD /240x320/TTL Interface,MPU BUS /40pins /Active Area 43.80x58.20mm/3:4 Aspect Ratio /				
	Standard	DT0280QV32-CNM	V0	400nits	-
	With 4Wires RTP	DT0280QV34-CFM	V0	350nits	4Wires RTP
	High Brightness	DT0280QV34-CNH	V0	800nits	-
DT0320QV12	3.2" TFT LCD /240x320/TTL Interface,MPU BUS /40pins /Active Area 48.60x64.80mm/3:4 Aspect Ratio /				
	Standard	DT0320QV12-CNL	V0	220nits	-
DT0350HV1x	3.5" TFT LCD /320x480/TTL Interface,MPU BUS /45pins /Active Area 48.96x73.44mm/2:3 Aspect Ratio/				
	Standard	DT0350HV12-CNM	V0	360nits	-
	With 4Wires RTP	DT0350HV14-CFL	V0	300nits	4Wires RTP
DP0350HV42	3.5" IPS LCD /320x480/MIPI Interface /25pins /Active Area 48.96x73.44mm/2:3 Aspect Ratio /				
	Standard	DP0350HV42-MNM	V0	350nits	-
DT0350QV1x	3.5" TFT LCD /320x240/TTL Interface /54pins /Active Area 70.08x 52.56mm/4:3 Aspect Ratio /				
	Standard	DT0350QV11-RNM	V0	500nits	-
	With 4Wires RTP	DT0350QV12-RFM	V0.1	400nits	4Wires RTP
	With PCAP TP	DT0350QV15-RPM	V0	400nits	PCAP TP
	High Brightness	DT0350QV16-RNH	V0	1000nits	-
With 4Wires RIP & High Brightness:	DT0350QV17-RFH	V0	800nits	4Wires TP	
DT0430WQ1x	4.3" TFT LCD /480x272/TTL Interface /40pins /Active Area 94.91x53.96mm/16:9 Aspect Ratio /				
	Standard	DT0430WQ12-RNM	V01.1	500nits	-
	With 4Wires RTP	DT0430WQ13-RFM	V01.1	400nits	4Wires RTP
	With PCAP TP	DT0430WQ16-RPM	V01	400nits	PCAP TP
DT0430WQ3x	4.3" TFT LCD /480x272/TTL Interface /51pins /Active Area 95.04x53.85mm/16:9 Aspect Ratio /				
	Standard	DT0430WQ30-RNH	V01.1	700nits	-
	With 4Wires RTP	DT0430WQ32-RFH	V01.1	600nits	4Wires RTP
DT0430WQ6x	4.3" TFT LCD /480x272/TTL Interface /40pins /Active Area 95.04x 53.85mm/16:9 Aspect Ratio /				
	Standard	DT0430WQ63-RNH	V01.1	700nits	-
	With 4Wires RTP	DT0430WQ64-RFH	V01.1	600nits	4Wires RTP
DT0500WQ3x	5.0" TFT LCD /480x272/TTL Interface /40pins /Active Area 110.88x62.83mm/16:9 Aspect Ratio /				
	Standard	DT0500WQ34-RNM	V0	350nits	-
	With 4Wires RTP	DT0500WQ36-RFM	V0	280nits	4Wires RTP
	With PCAP TP	DT0500WQ38-RPM	V0	280nits	PCAP TP
DT0500VG6x	5.0" TFT LCD /640x480/TTL Interface /40pins /Active Area 101.60 x 76.18mm/4:3 Aspect Ratio/				
	Standard	DT0500VG60-RNL	V0	250nits	-
	With 4Wires RTP	DT0500VG62-RFL	V0	200nits	4Wires RTP

DT0500WV4x	5.0" TFT LCD /800x480/TTL Interface /50pins /Active Area 108.0x64.8mm/16:10 Aspect Ratio /				
	<i>Standard</i>	DT0500WV41-RNM	V0	350nits	-
	<i>With 4Wires RTP</i>	DT0700WV43-RFM	V0	280nits	4Wires RTP
DT0500WV6x	5.0" TFT LCD /800x480/TTL Interface /40pins /Active Area 108.0x64.8 mm/16:10 Aspect Ratio /				
	<i>Standard</i>	DT0500WV61-RNM	V0	350nits	-
	<i>With 4Wires RTP</i>	DT0500WV62-RFM	V0	280nits	4Wires RTP
	<i>With PCAP TP</i>	DT0500WV65-RPM	V0	280nits	PCAP TP
DT0500FW15	5.0" TFT LCD /480x854/TTL Interface /40pins /Active Area 61.56 x 109.53mm/16:9 Aspect Ratio/				
	<i>Standard</i>	DT0500FW15-RPM	V0	300nits	PCAP TP
DP0500HD4x	5.0" IPS LCD /720x1280/MIPI Interface /30pins /Active Area 62.10x110.4mm/16:9 Aspect Ratio				
	<i>Standard</i>	DP0500HD42-MNM	V0	500nits	-
	<i>With 4Wires RTP</i>	DP0500HD45-MFM	V0	450nits	4Wires RTP
	<i>With PCAP TP</i>	DP0500HD46-MPM	V0	450nits	PCAP TP
	<i>With 4Wires RTP & HighBrightness</i>	DP0500HD47-MNM	V0	700nits	4Wires RTP
DT0700WV9x	7.0" TFT LCD /800x480/TTL Interface /50pins /Active Area 149.5x98mm/16:10 Aspect Ratio /				
	<i>Standard</i>	DT0700WV94-RNM	V01	400nits	-
	<i>Short FPC</i>	DT0700WV90-RNM	V01	400nits	-
	<i>With 4Wires RTP</i>	DT0700WV95-RFM	V01	350nits	4Wires RTP
	<i>With PCAP TP</i>	DT0700WV97-RPM	V01	350nits	PCAP TP
	<i>High Brightness</i>	DT0700WV96-RNH	V01	1000nits	-
	<i>With PCAP TP & HighBrightness</i>	DT0700WV98-RPH	V01	800nits	PCAP TP
DT0700WV3X	7.0" TFT LCD /800x480/TTL Interface /40pins /Active Area 152.4X91.44mm/16:9 Aspect Ratio /				
	<i>Standard</i>	DT0700WV32-RNM	V01	350nits	-
	<i>With 4Wires RTP</i>	DT0700WV34-RFL	V01	280nits	4Wires RTP
	<i>With PCAP TP</i>	DT0700WV37-RPL	V01	280nits	PCAP TP
	<i>High Brightness</i>	DT0700WV36-RNH	V01	1000nits	-
	<i>With PCAP TP & HighBrightness</i>	DT0700WV38-RPH	V01	800nits	PCAP TP
DT0700WV4x	7.0" TFT LCD /800x480/LVDS Interface /20pins /Active Area 152.4x 91.44mm/16:9 Aspect Ratio /				
	<i>Standard</i>	DT0700WV42-LNM	V01	400nits	-
	<i>With 4Wires RTP</i>	DT0700WV43-LFM	V01	300nits	4Wires RTP
	<i>With PCAP TP</i>	DT0700WV47-LPM	V01	300nits	PCAP TP
	<i>High Brightness</i>	DT0700WV46-LNH	V01	1000nits	-
	<i>With PCAP TP & HighBrightness</i>	DT0700WV48-LPH	V01	800nits	PCAP TP
DT0700SV22	7.0" TFT LCD /800x600/TTL Interface /40pins /Active Area 141.6x106.2mm/4:3 Aspect Ratio /				
	<i>Standard</i>	DT0700SV22-RNM			
DT0700SV3x	7.0" TFT LCD /800x600/TTL Interface /40pins /Active Area 141.6x106.2mm/4:3 Aspect Ratio /				
	<i>Standard</i>	DT0700SV31-RFH	V01	800nits	4Wires RTP
	<i>High Brightness</i>	DT0700SV30-RFE	V01	3200nits	4Wires RTP
DT0700SW4x	7.0" TFT LCD /1024x600/LVDS Interface /40pins /Active Area 163.6 x 90.0mm/16:9 Aspect Ratio /				
	<i>Standard</i>	DT0700SW42-LNM	V2	350nits	-
	<i>With PCAP TP</i>	DT0700SW43-LPM	V01	250nits	PCAP TP
	<i>High Brightness & Thicker Model</i>	DT0700SW44-LNM	V01	1000nits	-
DT0700SW73	7.0" TFT LCD /1024x600/LVDS Interface /20pins /Active Area 153.6x90.0 mm/16:10 Aspect Ratio/				
	<i>Standard</i>	DT0700SW73-LPM	V01	450nits	PCAP TP
DP0700WX32	7.0" IPS LCD /800x1280/MIPI Interface /40pins /Active Area 94.20x150.72 mm/10:16 Aspect Ratio/				
	<i>Standard</i>	DP0700WX32-MNM	V01	400nits	-
DP0700WX6x	7.0" IPS LCD /800x1280/LVDS Interface /40pins /Active Area 149.76x93.60mm/16:10 Aspect Ratio/				
	<i>Standard</i>	DP0700WX62-LNM	V01	400nits	-
	<i>With PCAP TP</i>	DP0700WX64-LPM	V01	350nits	PCAP TP

DT0800SV21	8.0" TFT LCD /1024x600/TTL Interface /20pins /Active Area 162x121.5 mm/16:10 Aspect Ratio/				
	<i>Standard</i>	DT0800SV21-RNL	V01	250nits	-
	<i>With 4Wires RTP</i>	DT0800SV33-RFM	V01	360nits	4Wires RTP
DP0800XG5x	8.0" IPS LCD /1024x768/LVDS Interface /40pins /Active Area162.05 x 121.54mm/4:3 Aspect Ratio /				
	<i>Standard</i>	DP0800XG51-LNM	V3	400nits	-
	<i>High Brightness</i>	DP0800XG52-LNH	V0	800nits	-
	<i>High Brightness</i>	DP0800XG53-LNH	V0	650nits	- 52-LNM
DP0970XG1x	9.7" IPS LCD /1024x768/LVDS Interface /30pins /Active Area 197x147mm/4:3 Aspect Ratio /				
	<i>Standard</i>	DP0970XG12-LNM	V7	420nits	-
	<i>With 4Wires RTP</i>	DP0970XG14-LFM	V0	350nits	4Wires RTP
	<i>High Brightness</i>	DP0970XG16-LNH	V0	800nits	-
	<i>With PCAP TP & HighBrightness</i>	DP0970XG18-LPH	V0	700nits	PCAP TP
DT1010SW2x	10.1" TFT LCD /1024x600/LVDS Interface /40pins /Active Area 222.72x125.28mm/16:9 Aspect Ratio /				
	<i>Standard</i>	DT1010SW22-LNM	V01	250nits	-
	<i>With PCAP TP</i>	DT1010SW25-LPM	V01	300nits	PCAP TP
DT1010SW52	10.1" TFT LCD /1024x600/LVDS Interface /50pins /Active Area 222.72x125.28 mm/16:9 Aspect Ratio/				
	<i>Standard</i>	DT1010SW52-RFH	V01	1000nits	4Wires RTP
DP1010WX3x	10.1" IPS LCD /1280x800/LVDS Interface /40pins /Active Area 216.96 x 135.60 mm/16:10 Aspect Ratio/				
	<i>Standard</i>	DP1010WX31-LNH	V01	600nits	-
	<i>With PCAP TP</i>	DP1010WX35-LPH	V01	500nits	PCAP TP
	<i>High Brightness</i>	DP1010WX34-LNH	V01	800nits	-
	<i>With PCAP TP & HighBrightness</i>	DP1010WX36-LPH	V01	800nits	PCAP TP
	<i>With PCAP TP & Converter Board</i>	DP1010WX37-LPH	V01	280nits	
DP1010WX3x	10.1" IPS LCD /1280x800/LVDS Interface /40pins /Active Area 216.96 x135.60 mm/16:10 Aspect Ratio/				
	<i>Standard with Digitizer Stylus Inp</i>	DP1010WX3D-LNH	V01	600nits	Digitizer Stylus Input
DP1010WX4x	10.1" IPS LCD /800x1280/MIPI Interface /40pins /Active Area 135.36 x 216.58 mm/10:16 Aspect Ratio/				
	<i>Standard</i>	DP1010WX41-MNL	V1	250nits	-
	<i>With PCAP TP</i>	DP1010WX44-MPL	V0	200nits	PCAP TP
DP1010HD2x	10.1" IPS LCD /1920x1200/MIPI Interface /40pins /Active Area 216.81x135.54mm/16:9 Aspect Ratio /				
	<i>Standard</i>	DP1010HD22-MNM	V01	450nits	-
	<i>With PCAP TP</i>	DP1010HD24-MPM	V01	450nits	PCAP TP
	<i>High Brightness</i>	DP1010HD23-MNH	V01	800nits	-
DP1160HD13	11.6" IPS LCD /1366x768/eDP Interface /40pins /Active Area 256.32x144.18 mm /16:9 Aspect Ratio/				
	<i>Standard</i>	DP1160HD13-ENH	V01	600nits	-
DP1160FH2x	11.6" IPS LCD /1920x1080/eDP Interface /30pins /Active Area 256.32x144.18 mm /16:9 Aspect Ratio/				
	<i>Standard</i>	DP1160FH20-ENM	V01	320nits	-
	<i>High Brightness</i>	DP1160FH22-ENH	V01	800nits	-
DP1160HD4x	11.6" IPS LCD /1920x1080/eDP Interface /30pins /Active Area 256.90x144.50 mm /16:9 Aspect Ratio/				
	<i>Standard</i>	DP1160HD44-ENH	V02	650nits	-
	<i>Standard with Digitizer Stylus Inp</i>	DP1160HD4D-ENM	V01	350nits	-
DV1210WX46	12.1" MVA LCD /1280x800/LVDS Interface /30pins /Active Area 261.12 x163.2mm /16:10 Aspect Ratio/				
	<i>Standard</i>	DV1210WX46-LPM	V01	320nits	-
DP1250DF23	12.5" IPS LCD /1920x1080/eDP Interface /30pins /Active Area 276.48x155.52 mm /16:9 Aspect Ratio/				
	<i>Standard</i>	DP1250DF23-ENH	V2.1	800nits	-
DP1330FH01	13.3" IPS LCD /1920x1080/eDP Interface /30pins /Active Area 293.76x165.24 mm /16:9 Aspect Ratio/				
	<i>Standard</i>	DP1330FH01-ENM	V0.1	350nits	-
DP1400FH02	14.0" IPS LCD /1920x1080/eDP Interface /30pins /Active Area 309.14x173.89 mm /16:9 Aspect Ratio/				
	<i>Standard</i>	DP1400FH02-ENM	V0	300nits	-
DT1500XG17	15.0" TFT LCD /1024x768/LVDS Interface /20pins /Active Area 304.1x228.1 mm /4:3 Aspect Ratio/				
	<i>Standard</i>	DT1500XG17-LNE	V01	1500nits	

DP1560FH0x	15.6" IPS LCD /1280x1080/eDP Interface /30pins /Active Area344.16 x193.59 mm /16:9 Aspect Ratio/				
	<i>Standard</i>	DP1560FH01-ENL	V01.1	250nits	-
	<i>With PCAP TP</i>	DP1560FH03-EPL	V01	200nits	PCAP TP
	<i>High Brightness</i>	DP1560FH02-ENH	V01.1	800nits	-
	<i>With PCAP TP & HighBrightness</i>	DP1560FH04-EPH	V01.1	700nits	PCAP TP
DT1560HD21	15.6" TFT LCD /1366x768 /LVDS Interface /40pins /Active Area 344.23x193.53 mm/16:9 Aspect Ratio/				
	<i>Standard</i>	DT1560HD21-LNL	V01	200nits	
DT1700SX35	17.0" TFT LCD /1280x1024/LVDS Interface /30pins /Active Area 337.92x270.34 mm /5:4Aspect Ratio/				
	<i>Standard with 5Wires RTP</i>	DT1700SX35-LVH	V01.1	1000nits	
DT1900SX42	19.0" TFT LCD /1280x1024/LVDS Interface /30pins /Active Area 376.3x301.1mm/5:4 Aspect Ratio/				
	<i>Standard with 5Wires RTP</i>	DT1900SX42-LVH	V01	1000nits	
DV2150HD34	21.5" MVA LCD /1920x1080/LVDS Interface/30pins /Active Area 476.64x268.10mm/16:9 Aspect Ratio/				
	<i>Standard with 5Wires RTP</i>	DV2150HD34-LVH	V01	1000nits	-
DV2400FH17	24.0" MVA LCD /1920x1080/LVDS Interface /30pins /Active Area 531.36x 298.89mm/16:9 Aspect Ratio/				
	<i>Standard</i>	DV2400FH17-LNH	V0	1200nits	-